
LAN Cable Category 6



Cable structure

Inner conductor diameter: Conductor material: Core insulation: Core colours: Shielding 1: Screen over stranding element: Screen 1 over stranding: Screen 2 over stranding: Outer sheath material: Outer diameter: Outer sheath colour:

Electrical data

Characteristic impedance:

Loop resistance: Mutual capacitance: Rel. propagation velocity:

Typical values

Frequency	(MHz)	10	16	62,5	100	200	300	450
Attenuation	(dB/100m)	5,4	7,0	13,8	17,6	26,0	34,0	38,5
Next	(db)	100,0	100,0	95,8	94,5	91,0	87,0	84,3
ACR	(db)	94,6	93,0	82,0	76,9	65,0	53,0	45,8

Technical data

Weight: Min. bending radius for laying: Operating temperature range min.: Operating temperature range max.: Caloric load, approx. value: Copper weight:

Norms

Acc. to ISO/IEC 11801, Acc. to EN 50173, Acc. to EIA/TIA 568-A, Category 6, Flame-retardant acc. to IEC 60332-3, Smoke density acc. to IEC 61034, Halogen-free acc. to 60754-2, Corrosiveness acc. to EN50267-2-3

0,57 MJ/m

24,00 kg/km

Application

HELUKAT®450 data cables are used in the tertiary, but also in the secondary level of a network. They are characterized by large performance reserves and outstanding performance. They can be used to implement services such as Gigabit Ethernet, Fast Ethernet, Ethernet, ATM155, FDDI, token ring 4/16 Mbit/s or ISDN absolutely trouble-free. Likewise, the mechanical characteristics are perfectly suited for the application in tight cable channels and platforms due to their optimized construction.

Part no.

82501, S-STP 4x2xAWG 24/1 FRNC (S/FTP)

Dimensions and specifications may be changed without prior notice.






S-STP 4x2xAWG 24/1 FRNC

0,52 mm Copper, bare Foam-skin-PE wh/bu, wh/og, wh/gn, wh/bn

Polyester foil, aluminium-lined Polyester foil, aluminium-lined


FRNC approx. 7,4 mm Green similar to RAL 6018

100 Ohm ± 15 ohm at 1 to 100 MHz 100 Ohm ± 20 ohm at 101 to 450 MHz 146 Ohm/km max. 43 nF/km nom. 79 %



HELUKAT° 450

S-STP









R 66

R