

0.8mm Height 0805 Package Yellow Chip LED

Technical Data Sheet

Part No:LL-S172YC-2Y





Features

- ◇ Package in 8mm tape on 7" diameter reel.
- ♦ Compatible with automatic lacement equipment.
- ◇ Compatible with infrared and vapor phase reflow solder process.
- ♦ Mono-color type.
- ◇ Pb-Free.
- ♦ The product itself will remain within RoHS compliant Version.


Descriptions

- The S172 SMD LED is much smaller than lead frame type Components, thus enable smaller board size, higher packing Density, reduced storage space and finally smaller equipment to be obtained.
- ♦ Besides, lightweight makes them ideal for miniature applications.etc.

Applications

- ♦ Automotive:backlighting in dashboard and switch.
- Telecommunication:indicator and backlighting in Telephone and fax.
- ♦ Flat backlight for LCD, switch and symbol.
- ♦ General use.







Absolute Maximum Ratings at Ta=25℃

Parameter	Symbol	Мах	Unit
Power Dissipation	PD	70	mW
Peak Forward Current (1/10 Duty Cycle, 0.1ms Pulse Width)	IFP	60	mA
Continuous Forward Current	IF	25	mA
Reverse Voltage	VR	5	V
Operating Temperature Range	Topr	-40℃ to +85℃	
Storage Temperature Range	Tstg	-40℃ to +100℃	
Soldering Temperature	Tsld	Reflow Soldering:260℃ for 5 Seconds Hand Soldering:350℃ for 3 Seconds	

Electrical Optical Characteristics at Ta=25°C

Parameter	Symbol	Min.	Тур.	Max.	Unit	Test Condition
Viewing Angle*	2 θ 1/2		120		Deg	(Note 2)
Forward Voltage	VF		2.0	2.8	V	IF =20mA
Reverse Current	IR			10	μA	V _R =5V
Peak Emission Wavelength	λp	583	590	596	nm	IF=20mA
Dominant Wavelength	λ d	583	588	593	nm	IF=20mA (Note 3)
Spectral Line Half-Width	$\bigtriangleup \lambda$	35	35	40	nm	IF=20mA
Luminous Intensity (Note 1)*	lv	4.0	8.0		mcd	IF =20mA

- 1. Luminous Intensity Measurement allowance is $\pm 10\%$
- 2. $\theta_{1/2}$ is the off-axis angle at which the luminous intensity is half the axial luminous intensity



Reliability Test Items And Conditions

The reliability of products shall be satisfied with items listed below.

Confidence level:90%

LTPD:10%

1)Test Items and Results


No.	Test Item	Test Hours/C ycles	Test Conditions	Sample Size	Ac/Re
1	Resistance to Soldering Heat	6 Min	Tsld=260±5℃, Min. 5sec	25pcs	0/1
2	Themal Shock	300 Cycles	H:+100℃ 5min ∫ 10 sec L:-10℃ 5min	25pcs	0/1
3	Temperature Cycle	300 Cycles	H:+100℃ 15min ∫ 5min L:-40℃ 15min	25pcs	0/1
4	High Temperature Storage	1000Hrs.	Temp:100 ℃	25pcs	0/1
5	DC Operating Life	1000Hrs.	lf=20mA	25pcs	0/1
6	Low Temperature Storage	1000Hrs.	Temp:-40℃	25pcs	0/1
7	High Temperature/ High Humidity	1000Hrs.	85℃/85%RH	25pcs	0/1

2)Critera For Judning The Damage

ltem	Symbl	Test Conditions	Criteria for Judgement		
			Min	Мах	
Forward Voltage	VF	I⊧=20mA		F.V.*)×1.1	
Reverse Current	IR	VR=5V	_	F.V.*)×2.0	
Luminous Intensity	IV	I⊧=20mA	F.V.*)×0.7	_	

*)F.V.:First Value






Spec No: G010/G008YRev No:V.1Approved: JoJoChecked: BobLucky Light Electronics Co., Ltd

Date: Dec/05/2002 Page: 6 OF 9 Drawn: Wu SP172 <u>Http://www.luckylight.cn</u>







Please read the following notes before using the datasheets

1. Over-current-proof

Customer must apply resistors for protection , otherwise slight voltage shift will cause big current change (Burn out will happen).

2. Storage

2.1 Do not open moisture proof bag before the products are ready to use.

2.2 Before opening the package, the LEDs should be kept at 30° C or less and 90%RH or less.

2.3 The LEDs should be used within a year.


2.4 After opening the package, the LEDs should be kept at 30° C or less and 70%RH or less.

2.5 The LEDs should be used within 168 hours (7 days) after opening the package.

2.6 If the moisture adsorbent material (silica gel)has fabed away or the LEDs have exceeded the storage time,baking treatment should be performed using the following conditions. Baking treatment:60±5°C for 24 hours.

3. Soldering Condition

3.1 Pb-free solder temperature profile





5.Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand

whether the characteristics of the LEDs will or will not be damaged by repairing.

