



DIN 7985 A

~ISO 7045

4.8

Norme abrogée



BN 3334

Vis à tête cylindrique bombée

avec empreinte cruciforme Pozidriv forme Z


Acier 4.8


zingué-bleu


- ~UNI 7687
- ~CSN 021147



Toutes les longueurs avec filetage ~ sous tête

| Article# | d ₁ | d ₂ max. | k max. |  | m~ | t min. | t max. | L |
|----------|----------------|---------------------|--------|---|-----|--------|--------|----|
| 2096765 | M2 | 4 | 1,72 | 1 | 2,4 | 1,1 | 1,35 | 3 |
| 1538438 | | | | | | | | 4 |
| 1538446 | | | | | | | | 5 |
| 1538454 | | | | | | | | 6 |
| 1538462 | | | | | | | | 8 |
| 1538470 | | | | | | | | 10 |
| 1538489 | | | | | | | | 12 |
| 3169928 | | | | | | | | 16 |
| 2096773 | | | | | | | | 20 |
| 2096781 | M2,5 | 5 | 2,12 | 1 | 2,6 | 1,27 | 1,52 | 3 |
| 1538497 | | | | | | | | 4 |
| 1538500 | | | | | | | | 5 |
| 1538519 | | | | | | | | 6 |
| 1538527 | | | | | | | | 8 |
| 1538535 | | | | | | | | 10 |
| 1538543 | | | | | | | | 12 |
| 1538551 | | | | | | | | 16 |
| 2096803 | | | | | | | | 20 |
| 2096811 | | | | | | | | 25 |
| 2096838 | | | | | | | | 30 |
| 3056367 | M3 | 6 | 2,52 | 1 | 3 | 1,68 | 1,93 | 3 |
| 1538578 | | | | | | | | 4 |

| Article# | d1 | d2 max. | k max. |  | m~ | t min. | t max. | L |
|----------|----|---------|--------|---|-----|--------|--------|------|
| 1538586 | M3 | 6 | 2,52 | 1 | 3 | 1,68 | 1,93 | 5 |
| 1538594 | | | | | | | | 6 |
| 1538608 | | | | | | | | 8 |
| 1538616 | | | | | | | | 10 |
| 1538624 | | | | | | | | 12 |
| 1538632 | | | | | | | | (14) |
| 1538640 | | | | | | | | 16 |
| 5402876 | | | | | | | | (18) |
| 1538659 | | | | | | | | 20 |
| 1538667 | | | | | | | | 25 |
| 1538675 | | | | | | | | 30 |
| 1538683 | | | | | | | | 35 |
| 1538691 | | | | | | | | 40 |
| 2096846 | | | | | | | | 45 |
| 2096854 | | | | | | | | 50 |
| 2096862 | | | | | | | | 60 |
| 3056368 | M4 | 8 | 3,25 | 2 | 4,3 | 1,9 | 2,36 | 4 |
| 1538705 | | | | | | | | 5 |
| 1538713 | | | | | | | | 6 |
| 1538721 | | | | | | | | 8 |
| 1538748 | | | | | | | | 10 |
| 1538756 | | | | | | | | 12 |
| 1538764 | | | | | | | | (14) |
| 1538772 | | | | | | | | 16 |
| 5402872 | | | | | | | | (18) |
| 1538780 | | | | | | | | 20 |
| 5402873 | | | | | | | | (22) |
| 1538799 | | | | | | | | 25 |
| 1538802 | | | | | | | | 30 |
| 1538810 | | | | | | | | 35 |
| 1538829 | | | | | | | | 40 |
| 3092560 | | | | | | | | 45 |
| 2096870 | | | | | | | | 50 |
| 2096889 | | | | | | | | 60 |
| 2096897 | | | | | | | | 70 |
| 2096900 | | | | | | | | 80 |
| 2096919 | | | | | | | | 100 |
| 3056369 | M5 | 10 | 3,95 | 2 | 5 | 2,64 | 3,1 | 5 |
| 1538837 | | | | | | | | 6 |
| 1538845 | | | | | | | | 8 |
| 1538853 | | | | | | | | 10 |

| Article# | d ₁ | d ₂ max. | k max. |  | m~ | t min. | t max. | L |
|----------|----------------|---------------------|--------|---|-----|--------|--------|------|
| 1538861 | M5 | 10 | 3,95 | 2 | 5 | 2,64 | 3,1 | 12 |
| 1538888 | | | | | | | | (14) |
| 1538896 | | | | | | | | 16 |
| 1538918 | | | | | | | | 20 |
| 1538926 | | | | | | | | 25 |
| 1538934 | | | | | | | | 30 |
| 1538942 | | | | | | | | 35 |
| 1538950 | | | | | | | | 40 |
| 5402878 | | | | | | | | 45 |
| 1538969 | | | | | | | | 50 |
| 2096927 | | | | | | | | 60 |
| 2096935 | | | | | | | | 70 |
| 2096943 | | | | | | | | 80 |
| 2096951 | | | | | | | | 100 |
| 3056371 | M6 | 12 | 4,75 | 3 | 6,7 | 3,02 | 3,48 | 6 |
| 1538977 | | | | | | | | 8 |
| 1538985 | | | | | | | | 10 |
| 1538993 | | | | | | | | 12 |
| 1539000 | | | | | | | | (14) |
| 1539019 | | | | | | | | 16 |
| 1539027 | | | | | | | | 20 |
| 1539035 | | | | | | | | 25 |
| 1539043 | | | | | | | | 30 |
| 1539051 | | | | | | | | 35 |
| 1539078 | | | | | | | | 40 |
| 5402880 | | | | | | | | 45 |
| 1539086 | | | | | | | | 50 |
| 2096978 | | | | | | | | 60 |
| 2096986 | | | | | | | | 70 |
| 2096994 | | | | | | | | 80 |
| 2097001 | | | | | | | | 100 |
| 5402881 | M8 | 16 | 6,15 | 4 | 8,8 | 4,06 | 4,52 | 16 |
| 5402882 | | | | | | | | 20 |
| 5402883 | | | | | | | | 25 |
| 5402884 | | | | | | | | 30 |
| 5402885 | | | | | | | | 40 |