



	<b>DIN 84 A</b>	<b>~ISO 1207</b>		<b>8.8</b>
---	-----------------	------------------	--	------------

Standard withdrawn



<b>BN 341</b>
<b>Slotted cheese head machine screws</b>
Steel 8.8
zinc plated blue
<ul style="list-style-type: none"> <li>• ~UNI 6107</li> <li>• ~CSN 021131</li> </ul>

 All lengths fully threaded

Article#	d <sub>1</sub>	d <sub>2</sub>	k max.	n	t min.	L
1127748	M2	3,8	1,3	0,5	0,6	3
1127756						4
1127764						5
1127772						6
1127780						8
1127799						10
1127802						12
1127829						16
1127845						20
1127888	M2,5	4,5	1,6	0,6	0,7	4
1127896						5
1127918						6
1127926						8
1127934						10
1127942						12
1127969						16
1127985						20
1128175	M3	5,5	2	0,8	0,85	3
1128183						4
1128191						5
1128205						6
1128213						8
1128221						10
1128248						12

Article#	d1	d2	k max.	n	t min.	L
1128256	M3	5,5	2	0,8	0,85	(14)
1128264						16
1128272						(18)
1128280						20
1128302						25
1128310						30
1128329						35
1128337						40
1128515	M4	7	2,6	1,2	1,1	5
1128523						6
1128531						8
1128558						10
1128566						12
1128582						16
1128604						20
1128620						25
1128639						30
1128647						35
1128655						40
1128663						45
1128671						50
1128698						60
1128728	M5	8,5	3,3	1,2	1,3	6
1128736						8
1128744						10
1128752						12
1128779						16
1128795						20
1128817						25
1128825						30
1128833						35
1128841						40
1128876						50
1128884						60
1128892	M6	10	3,9	1,6	1,6	8
1128906						10
1128914						12
1128930						16
1128957						20
1128973						25
1128981						30

Article#	d <sub>1</sub>	d <sub>2</sub>	k max.	n	t min.	L
1129007	M6	10	3,9	1,6	1,6	35
1129015						40