




AVAILABLE BY SPECIAL ORDER - NAFTA REGION ONLY



- NOTES:
 1) ALL PRIMARY DIMENSIONS IN mm, SECONDARY DIMENSIONS IN [INCHES].
 2) ALL LENGTHS ARE AVAILABLE IN 1mm INCREMENTS.

REV.	MODIFICATION.	DATE	DRN
01	NEW DRAWING	22/10/04	NJB
02	ECN 04-219	09/12/04	NJB
03	ECN 05-061	11/05/05	OW
04	ECN 06-253	24/11/06	OW
05	ECN 07-066	19/04/07	SF

INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL TO RICHCO INTERNATIONAL Co. Ltd. AND MAY NOT BE DISCLOSED OR REPRODUCED IN WHOLE OR PART WITHOUT THEIR WRITTEN CONSENT



METRIC GENERAL TOLERANCES ±0.25
 ARE PRIMARY UNLESS OTHERWISE STATED
 1 DECIMAL PLACE ±
 2 DECIMAL PLACES ±
 ANGULAR ±1°

IMPERIAL GENERAL TOLERANCES ±0.010
 ARE FOR REFERENCE UNLESS OTHERWISE STATED
 1 DECIMAL PLACE ±
 2 DECIMAL PLACES ±
 ANGULAR ±1°

MATERIAL: NYLON 6/6 (RMS-172)		COLOUR: BLACK	
TITLE: HEXAGONAL THREADED SPACER, NYLON		PART No: HTSN-MD-L-H-2	
DRG No: 04-131	NPR REF:		SIZE A4
DRN NJB	DATE 22/10/04	CHKD RC	DATE 23/10/04
SCALE NTS	SHEET No 1 OF 1		

PART No.	D1=D2	H	L																	
HTSN-M2.5-L-5-2	M2.5	5.0 (0.197)	5.0	6.0	7.0	8.0	9.0	10.0	11.0	15.0	45.0	(0.197)	(0.237)	(0.276)	(0.315)	(0.355)	(0.394)	(0.433)	(0.590)	(1.772)
HTSN-M3-L-5.5-2	M3	5.5 (0.217)	5.0	6.0	7.0	8.0	9.0	10.0	11.0	15.0	61.0	(0.197)	(0.237)	(0.276)	(0.315)	(0.355)	(0.394)	(0.433)	(0.590)	(2.402)
HTSN-M3-L-6-2	M3	6.0 (0.236)	5.0	6.0	7.0	8.0	9.0	10.0	11.0	15.0	61.0	(0.197)	(0.237)	(0.276)	(0.315)	(0.355)	(0.394)	(0.433)	(0.590)	(2.402)
HTSN-M3-L-8-2	M3	8.0 (0.315)	5.0	6.0	7.0	8.0	9.0	10.0	11.0	15.0	61.0	(0.197)	(0.237)	(0.276)	(0.315)	(0.355)	(0.394)	(0.433)	(0.590)	(2.402)
HTSN-M4-L-8-2	M4	8.0 (0.315)	5.0	6.0	7.0	8.0	9.0	10.0	11.0	15.0	65.0	(0.197)	(0.237)	(0.276)	(0.315)	(0.355)	(0.394)	(0.433)	(0.590)	(2.556)
HTSN-M5-L-10-2	M5	10.0 (0.394)	5.0	6.0	7.0	8.0	9.0	10.0	11.0	15.0	60.0	(0.197)	(0.237)	(0.276)	(0.315)	(0.355)	(0.394)	(0.433)	(0.590)	(2.363)
	P1		8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	(0.315)	(0.315)	(0.315)	(0.315)	(0.315)	(0.315)	(0.315)	(0.315)	(0.315)
	P2 MIN.		3.0	3.5	4.0	5.0	6.0	8.0	9.0	10.0	11.0	(0.119)	(0.318)	(0.158)	(0.197)	(0.237)	(0.315)	(0.355)	(0.394)	(0.433)