




U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	
	<b>SILVYN® SSUE</b>	<b>29.11.2013</b>

High-tensile  
Corrosion-resistant  
Flexible  
For high mechanical stress  
Heat-resistant



SILVYN® LGEF-M



SILVYN® LGES-M



Heat-resistant



Cold-resistant



Corrosion-resistant



Mechanical resistance



Robust



Temperature-resistant

### Application range

Offshore applications  
Measuring technology  
Plant engineering  
Outdoors  
Applications with high mechanical stress

### Design

Spirally-wound stainless steel protective conduit

### Note

Sizes 10, 12 with double-interlocked Agraff profile


### Product features

Stainless steel AISI 316

### Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Product Management	Document: LAPP_PRO1209EN.pdf	1 / 4
--------------------	------------------------------	-------

U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	 <b>LAPP GROUP</b>
	<b>SILVYN® SSUE</b>	<b>29.11.2013</b>


**Technical Data**

Approvals:	IEC EN 61386-23
Note:	Sizes 10, 12 with double-interlocked Agraff profile
Material:	Stainless steel AISI 316 DW Nr. 1.4404
Protection rating:	IP 40
Temperature range:	-100°C to +400°C

Product Management	Document: LAPP_PRO1209EN.pdf	2 / 4
--------------------	------------------------------	-------



Part number	Article designation	Internal Ø x external Ø (mm)	Bending radius (mm)	Inner Ø (mm)	Suitable for SILVYN® LGEF-M/LGES-M
SILVYN® SSUE					
61804600	10	6,8 x 9	25	6.8	M 12 x 1,5
61804601	12	10,2 x 13	30	10.2	M 16 x 1,5/1
61804602	16	13 x 16	40	13	M 16 x 1,5/2
61804603	20	16,9 x 20,5	45	16.9	M 20 x 1,5/1
61804604	25	21,1 x 25	55	21.1	M 25 x 1,5
61804605	32	28,1 x 32	70	28.1	M 32 x 1,5
61804612	40	37,6 x 42,5	80	37.6	M 40 x 1,5
61804613	50	48,4 x 53	90	48.4	M 50 x 1,5

U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	 <b>LAPP GROUP</b>
	<b>SILVYN® SSUE</b>	29.11.2013



Product Management	Document: LAPP_PRO1209EN.pdf	4 / 4
--------------------	------------------------------	-------