


## Specification:

- 1) Rating (if not described next to the switch):
  - ( ) 6 A 125 VAC; 3 A 250 VAC
  - (A) 10 A 125 VAC; 6 A 250 VAC
- 2) Contact Resistance: 35 mΩ max.
- 3) Insulation Resistance: 500 VDC 100 MΩ min.
- 4) Dielectric strength: 1500 VAC, 1 minute
- 5) Operating temperature: -30°C ~ +80°C
- 6) Electric Life: 10000 cycles

## RSSM102A2C7BK/WH



### CIRCUITRY TRAIT

01	ON	-	OFF
02	ON	-	ON
11	(ON)	-	OFF
12	ON	-	(ON)
03	ON	OFF	ON
13	ON	OFF	(ON)
23	(ON)	OFF	(ON)

( ) indicates momentary


### CAP COLOUR

RD	red
GN	green
OR	orange
BU	blue
WH	white
BK	black
YL	yellow

### BASE COLOUR

WH white  
 GY gray  
 YL yellow  
 omitted when  
 standard colour (black)

### TERMINAL OPTIONS




### PROTECTIV CAP



RSC-07


### CAP MARKING




# Ninigi




**RSM101** ON-OFF  
**RSM111** (ON)-OFF  
**RSM101A** ON-OFF  
**RSM111A** (ON)-OFF  
 SPST 2P




**RSM102 RSM102A** ON-ON  
**RSM103 RSM103A** ON-OFF-ON  
**RSM112 RSM112A** ON-(ON)  
 SPDT 3P




**RSSM101** ON-OFF  
**RSSM101A**  
 SPST 3P




**RSSM201** ON-OFF  
**RSSM201A** ON-OFF  
**RSSM2012** ON-OFF  
**RSSM201A2** ON-OFF  
 DPST 4P



**RSM1022** ON-ON  
**RSM1032** ON-OFF-ON  
**RSM1132** ON-OFF-(ON)  
**RSM1232** (ON)-OFF-(ON)  
 SPDT 3P




**RSM1012** ON-OFF  
 10 A 125 VAC; 6 A 250 VAC  
 SPST 2P




# Ninigi




**RSM1013** + LED ON-OFF  
10 A 125 VAC; 3 A 250 VAC  
SPST 4P




**RSM1015** ON-OFF  
12 A 125 VAC; 6 A 250 VAC  
SPDT 3P




**RSM1026** ON-ON  
12 A 125 VAC; 6 A 250 VAC  
SPDT 3P




**RSM201** ON-OFF  
**RSM211** (ON)-OFF  
**RSM201A** ON-OFF  
**RSM211A** (ON)-OFF  
DPST 4P



**RSM202** ON-ON  
**RSM203** ON-OFF-ON  
**RSM202A** ON-ON  
**RSM203A** ON-OFF-ON  
DPDT 6P




**RSM2101** ON-OFF  
**RSM2111** (ON)-OFF  
**RSM2101A** ON-OFF  
**RSM2111A** (ON)-OFF  
DPST 4P




# Ninigi




**RSM2102** ON-ON  
**RSM2103** ON-OFF-ON  
**RSM2102A** ON-ON  
**RSM2103A** ON-OFF-ON  
 DPDT 6P




**RSSM2101** ON-OFF  
 10 A 125 VAC; 6 A 250 VAC  
 DPST 6P




**RSSM2101L** ON-OFF  
 10 A 125 VAC; 6 A 250 VAC  
 SPST+LAMP SOCKET




**RSM2013** ON-OFF  
 10 A 125 VAC; 6 A 250 VAC  
 DPST 4P



**RSM2023** ON-ON  
**RSM2033** ON-OFF-ON  
 6 A 125 VAC; 3 A 250 VAC  
 DPDT 6P




**RSSM2014** ON-OFF  
**RSM2014** ON-OFF  
 10 A 125 VAC; 6 A 250 VAC  
 DPST 4P



# Ninigi



**RSM2024** ON-ON  
10 A 125 VAC; 6 A 250 VAC  
DPDT 6P



**RSSM1018** ON-OFF  
12 A 125 VAC; 6 A 250 VAC  
SPDT 3P

